



DAVIT CRANE IN GALVANIZED STEEL



A complete range of davit cranes in galvanized steel allows you to make your handling from 75 kg to 500 kg. These davit cranes are used in all industrial fields; lifting of pumps in the sewage treatment plants, setting of tools or heavy loads on machine ; cutting machine ; milling machines; maintenance on the motor or gearmotor inside or outside.

The AA can be equipped with the lifting device of your choice; in Standard with a manual winch and on-demand with an electric winch, connection in 220 Volts single phase or 380 Volts 3-Ph. Our range of manual hoists, electric hoists and pneumatic chain hoists complete this range of winch. Fully removable, so you can transport it from one workstation to another through the installation of bases on the floor or wall plates previously installed.

		AA 75 - 1,3	AA 150 - 0,8	AA 150 - 1,3	AA 250 - 0,8	AA 250 - 1,3	AA 250 - 2	AA 500 - 1,3
Capacity	Kg	75	150	150	250	250	250	500
Maximum range	M	1,3	0,8	1,3	0,8	1,3	2	1,3





DAVIT CRANE IN GALVANIZED STEEL



Description

- Galvanized finish
- Capacity up to 500 Kg
- Span up to 1300 mm
- Height of hanging up to 2577 mm
- Stainless steel pulley mounted on roller bearings
- Galvanized wire rope length 12 m
- Corrosion proof manual winch with automatic load brake

Max capacity	Span	Height of hanging
KG	m	mm
75	1,3	2 380
150	0,8	2 380
150	1,3	2 082
250	0,8	2 110
250	1,3	2 577
250	2	2 564
500	1,3	2 577

